

USN

--	--	--	--	--	--	--	--	--	--

10ME63

**Sixth Semester B.E. Degree Examination, Dec.2015/Jan.2016**  
**Heat and Mass Transfer**

Time: 3 hrs.


Max. Marks:100

**Note: 1. Answer any FIVE full questions, selecting at least TWO questions from each part.**  
**2. Use of heat transfer data hand book and steam tables are permitted.**

**PART - A**


- 1 a. Derive the general 3 – D Heat conduction equation in Cartesian coordinate system and hence obtain Laplace and Poisson equations. **(10 Marks)**  
 b. The Interior of a Refrigerator having inside dimensions of 0.5 × 0.5m base area and 01 mtr height is to be maintained at 6°C. The walls of the Refrigerator are constructed of 2 mild steel sheets, three (3mm) thick. [K = 46.5 W/m °C] with a 50mm of glass wool insulation [K = 0.046W/m °C] between them. If the Average Heat transfer coefficients at the inner and outer surfaces are 11.6W/m<sup>2</sup> °C and 14.5W/m<sup>2</sup> °C respectively.  
 Calculate : i) The rate at which the heat must be removed from the Interior to maintain the specified temperature in the kitchen at 25°C and ii) The temperature on the outer surface of the metal sheet. **(10 Marks)**

Fig.Q1(b)



- 2 a. Derive an expression for critical thickness of insulation for a sphere. **(08 Marks)**  
 b. A motor body is 360mm in diameter (OD) and 240mm long. It's surface temperature should not exceed 55°C when dissipating 340 watts. Longitudinal fins of 15mm thickness and 40mm height are produced. The convection coefficient is 40W/m<sup>2</sup> °C. Determine the number of fins required. Assume, the atmospheric temperature is 30°C for a finite fin. [Fig.Q2(a)]. **(12 Marks)**

Fig.Q2(b)



- 3 a. Show that the temperature distribution under Lumped analysis is given by,  $\frac{T - T_a}{T_i - T_a} = e^{-B.F.}$ , where  $T_i$  = Initial temperature,  $T_a$  = Ambient temperature. **(10 Marks)**  
 b. A 15mm diameter Mild Steel Sphere (K = 42W/m °C) is exposed to cooling air flow at 20°C resulting in the convective coefficient 'h' = 120 W/m<sup>2</sup> °C. Determine the following :  
 i) Time required to cool the sphere from 550°C to 90°C.  
 ii) Instantaneous heat transfer rate 2 minutes after start of cooling.  
 iii) Total energy transferred from the sphere during the first 2 minutes.  
 For Mild steel take :  $\rho = 7850 \text{ kg/m}^3$ ,  $C_p = 475 \text{ J/kg } ^\circ\text{C}$  and  $\alpha = 0.045 \text{ m}^2/\text{hr}$ . **(10 Marks)**

Important Note : 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.  
 2. Any revealing of identification, appeal to evaluator and /or equations written eg. 42+8 = 50, will be treated as malpractice.


10ME63

- 4 a. Using Buckingham's  $\pi$  - theorem, obtain the relationship between various dimensionless numbers ( $N_u = \phi(P_r)(G_r)$ ) for free convection heat transfer. (08 Marks)
- b. Air at  $20^\circ\text{C}$  and at a pressure of 1 bar is flowing over a flat plate at a velocity of 3m/sec if the plate is 280 mm wide and  $56^\circ\text{C}$ . Calculate the following quantities at  $x = 280\text{mm}$ , given that the properties of air at bulk mean temperature =  $38^\circ\text{C}$  are :  $\rho = 1.1374 \text{ kg/m}^3$ ,  $K = 0.02732 \text{ W/m}^\circ\text{C}$ ,  $C_p = 1.005 \text{ kJ/kg}^\circ\text{K}$ ,  $\gamma = 16.768 \times 10^{-6} \text{ m}^2/\text{sec}$ ,  $P_r = 0.7$ .
- i) Boundary layer thickness    ii) Thickness of boundary layer    iii) Local convective heat transfer coefficient    iv) Average convective heat transfer coefficient    v) Rate of heat transfer by convection    vi) Total drag force on the plate. (12 Marks)

**PART - B**

- 5 a. Explain the significance of i) Reynold's number    ii) Prandtl number    iii) Nusselt number    iv) Stanton number. (10 Marks)
- b. A refrigerated truck is moving on a highway at 90km/hr in a desert area, where the ambient air temperature is  $50^\circ\text{C}$ . The body of the truck is a rectangular box measuring 10mtr (length)  $\times$  4m(width)  $\times$  3m(height). Assume that the boundary layer on the four walls is turbulent. The heat transfer takes place only from the four surfaces and the wall surfaces of the truck is maintained at  $10^\circ\text{C}$ . Neglecting heat transfer from front and back and assuming flow to be parallel to 10m long side, calculate : i) A heat lost from the four surfaces    ii) The power required to overcome the resistance acting on the four surfaces. The properties of air (at  $t_f = 30^\circ\text{C}$ ) are:  $\rho = 1.165 \text{ kg/m}^3$ ,  $C_p = 1.005 \text{ kJ/kg}^\circ\text{C}$ ,  $K = 0.02673 \text{ W/m}^\circ\text{C}$ ,  $\gamma = 16 \times 10^{-6} \text{ m}^2/\text{S}$ ,  $P_r = 0.701$ . (10 Marks)
- 6 a. Derive an expression for LMTD of counter flow heat exchanger. State the assumptions made. (10 Marks)
- b. 8000 kg/hr of air at  $100^\circ\text{C}$  is cooled by passing it through a single pass cross flow heat exchanger. To what temperature is the air cooled, if water entering a  $15^\circ\text{C}$  flows through the tubes unmixed at the rate of 7500 kg/hr. Take,  $U = 500 \text{ kJ/hr} - \text{m}^2^\circ\text{C}$ ,  $A = 20 \text{ m}^2$ ,  $C_p$  of air =  $1 \text{ kJ/kg}^\circ\text{C}$ ,  $C_p$  of water =  $4.2 \text{ kJ/kg}^\circ\text{C}$ . [Fig.Q6(a)] (10 Marks)

Fig.Q6(a)



- 7 a. Define i) Pool boiling    ii) Forced convection boiling    iii) Sub cooled    iv) Local boiling    v) Saturated boiling. (08 Marks)
- b. Explain Fick's law of diffusion. (04 Marks)
- c. A vertical tube (Taking Experimental value) of 60mm OD and 1.2mtr long is exposed to steam at atmospheric pressure. The outer surface of the tube is maintained at a temperature of  $50^\circ\text{C}$  by circulating cold water through the tubes. Calculate i) Rate of heat transfer to the coolant    ii) The rate of condensation of steam. Assuming the condensation film is Laminor and TPP of water at  $75^\circ\text{C}$  are:  $\rho_L = 975 \text{ kg/m}^3$ ,  $\mu_L = 375 \times 10^{-6} \text{ N-S/m}^2$ ,  $K = 0.67 \text{ W/m}^\circ\text{C}$ . The properties of saturated vapor  $t_{\text{sat}} = 100^\circ\text{C}$ ,  $\rho_v = 0.596 \text{ kg/m}^3$ ,  $h_{fg} = 2257 \text{ kJ/kg}$ . (08 Marks)
- 8 a. For a Black body enclosed in a hemispherical space, show that emissive power of Black body is  $\pi$  times the Intensity of Radiation. (08 Marks)
- b. State and explain i) Kirchoff's law    ii) Planck's law    iii) Wein's displacement law    iv) Lambert's cosine law. (08 Marks)
- c. Explain briefly the concept of a Blackbody. (04 Marks)

\*\*\*\*\*

2 of 2